

**TEFC SEVERE DUTY**  
**208, 230/460 & 460 VOLTS • 3-PHASE**  
**FOOT MOUNT & C-FACE**  
**1 TO 800 HP**



**Bring On Your Severe Environment; These Motors Can Take It.**

Pulp and paper mills, foundries, chemical plants...you name the severe environment application, these motors will deliver reliable service beyond what you thought possible.

**Choose From Two Efficiency Levels**

Select a P model to meet EPC requirements; or choose a B model for maximum energy savings. Either way, you'll enjoy overall performance well beyond your expectations.

**Meets Ford EM1-1996 Spec.**

The 460 volt (3 lead) design of these motors meets the demanding T frame motor requirements of Ford's EM1-1996 specification (look for "F" in Notes column).

**Vary the Speed, Keep the Motor; Reap the Benefits**

Lincoln Severe Duty motors are inverter-rated for use with any brand drive at any carrier frequency. And to make matters as simple and inexpensive as possible, we don't require installation of filters or any other power conditioning devices.



**Features:**

- Full cast iron construction
- Two levels of premium efficiency\*
- B efficiency code designs meet the Premium Motor efficiency levels suggested by CEE.
- Nameplated for 50 Hz & 208 V/60 Hz operation – simplifies your motor selection and reduces your inventory requirements – see "Notes" column.
- Continuous Duty
- Premium Class F Insulation System
- Y-delta start capability 284T frames and larger (reference "Y" in Model Number)
- Warranty - 143T-449T frames:  
 (sine-wave power) 42 months from date of manufacture and 36 months from date of installation which ever period expires first.  
 (Inverter Power\*) 30 months from date of manufacture and 24 months from date of installation which ever period expires first.  
 5000 Series frames: 18 months from date of manufacture and 12 months from date of installation which ever period expires first.
- Shielded ball bearing for direct coupled applications. Contact your local sales office for belted applications.

**Applications:**

For use in the severe environments found in the process industries such as pulp and paper mills, chemical plants, foundries, textile mills and automotive manufacturing facilities.

\* 182T - 444T frames.

**FOOT MOUNT**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
1	1800	143T	82.5	1.25	230/460	CCS4P1T61	LM16484	C, H, V	59	\$614	LT-3B
	1800	143T	82.5	1.25	460	CCS4P1T64	LM15801	C, F, M	74	614	LT-3B
	1200	145T	80.0	1.25	230/460	CCS6P1T61	LM16485	C, H, P	83	764	LT-3B
	1200	145T	80.0	1.25	460	CCS6P1T64	LM15802	C, F, T	83	742	LT-3B
1 1/2	3600	143T	82.5	1.25	230/460	CCS2P1.5T61	LM16486	H, P	74	745	LT-3B
	3600	143T	82.5	1.25	460	CCS2P1.5T64	LM15800	F, T	74	745	LT-3B
	1800	145T	84.0	1.25	230/460	CCS4P1.5T61	LM16488	H, P	80	639	LT-3B
	1800	145T	84.0	1.25	460	CCS4P1.5T64	LM15805	F, T	83	639	LT-3B
1200	182T	182T	85.5	1.25	230/460	CCS6P1.5T61	LM16490	K, P	140	788	LT-3B
	182T	182T	85.5	1.25	460	CCS6P1.5T64	LM15814	F, T	140	787	LT-3B
2	3600	145T	84.0	1.25	230/460	CCS2P2T61	LM16492	H, ▼	85	792	LT-3B
	3600	145T	84.0	1.25	460	CCS2P2T64	LM15803	F	83	791	LT-3B
1800	145T	145T	84.0	1.25	230/460	CCS4P2T61	LM16493	H, S	83	683	LT-3B
	145T	145T	84.0	1.25	460	CCS4P2T64	LM15804	C, F, T	83	683	LT-3B
1200	184T	184T	86.5	1.25	230/460	CCS6P2T61	LM16494	K, P	133	861	LT-3B
	184T	184T	86.5	1.25	460	CCS6P2T64	LM15817	F, T	133	861	LT-3B

Prices and data subject to change without notice.

Product numbers in red are STOCK items.



**TEFC SEVERE DUTY**  
**208, 230/460 & 460 VOLTS • 3-PHASE**  
**FOOT MOUNT & C-FACE**  
**1 TO 800 HP**

**FOOT MOUNT (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
3	3600	182T	86.5	1.25	230/460	CCS2P3T61	LM16495	H, M	140	\$875	LT-3B
	3600	182T	86.5	1.25	460	CCS2P3T64	LM15812	F, M	140	875	LT-3B
	1800	182T	88.5	1.15	230/460	CCS4B3T61T5	LM16644	NN	104	951	LT-3E
	1800	182T	87.5	1.25	230/460	CCS4P3T61	LM16496	H, P	140	767	LT-3B
	1200	213T	87.5	1.25	230/460	CCS6P3T61	LM16497	K, P	188	1101	LT-3B
	1200	213T	87.5	1.25	460	CCS6P3T64	LM15826	F, T	188	1101	LT-3B
5	3600	184T	87.5	1.25	230/460	CCS2P5T61	LM16498	H, P	133	1038	LT-3B
	3600	184T	87.5	1.25	460	CCS2P5T64	LM15815	F, T	133	1038	LT-3B
	1800	184T	89.1	1.15	230/460	CCS4B5T61T5	LM16650	NN	109	1040	LT-3E
	1800	184T	87.5	1.25	230/460	CCS4P5T61	LM16499	H, S	150	913	LT-3B
	1800	184T	87.5	1.25	460	CCS4P5T64	LM15816	C, F	133	913	LT-3B
	1200	215T	87.5	1.25	230/460	CCS6P5T61	LM16500	K, P	205	1505	LT-3B
1200	215T	87.5	1.25	460	CCS6P5T64	LM15829	F, T	205	1505	LT-3B	
7 1/2	3600	213T	88.5	1.25	230/460	CCS2P7.5T61	LM16501	H, S, W	162	1254	LT-3B
	3600	213T	88.5	1.25	460	CCS2P7.5T64	LM15824	F, M	188	1185	LT-3B
	1800	213T	89.5	1.25	230/460	CCS4P7.5T61	LM16502	H, Q	225	1184	LT-3B
	1800	213T	89.5	1.25	460	CCS4P7.5T64	LM15825	F, U	188	1184	LT-3B
	1200	254T	91.7	1.15	230/460	CCS6B7.5T61YT5	LM16656	NN	249	2349	LT-3E
	1200	254T	89.5	1.25	230/460	CCS6P7.5T61	LM16503	C, K, P	335	2038	LT-3B
1200	254T	89.5	1.25	460	CCS6P7.5T64	LM15838	C, F, T	335	2038	LT-3B	
10	3600	215T	89.5	1.25	230/460	CCS2P10T61	LM16504	H, Q	205	1460	LT-3B
	3600	215T	89.5	1.25	460	CCS2P10T64	LM15827	F, U	205	1460	LT-3B
	1800	215T	91.0	1.15	230/460	CCS4P10T61	LM16505	H, Q	205	1497	LT-3B
	1800	215T	91.0	1.15	460	CCS4P10T64	LM15828	F, U	205	1497	LT-3B
	1200	256T	89.5	1.25	230/460	CCS6P10T61	LM16506	K, Q	378	2513	LT-3B
	1200	256T	89.5	1.25	460	CCS6P10T64	LM15841	F, U	378	2514	LT-3B
15	3600	254T	90.2	1.25	230/460	CCS2P15T61	LM16507	H, Q	335	1931	LT-3B
	3600	254T	90.2	1.25	460	CCS2P15T64	LM15836	F, U	335	1932	LT-3B
	1800	254T	91.0	1.25	230/460	CCS4P15T61	LM16508	H, Q	335	1875	LT-3B
	1800	254T	91.0	1.25	460	CCS4P15T64	LM15837	F, U	335	1875	LT-3B
	1200	284T	90.2	1.25	230/460	CCS6P15T61Y	LM16509	H, M	531	3493	LT-3C
	1200	284T	90.2	1.25	460	CCS6P15T64	LM15775	F, M	531	3491	LT-3C
20	3600	256T	90.2	1.15	230/460	CCS2P20T61	LM16510	H, P	378	2371	LT-3B
	3600	256T	90.2	1.15	460	CCS2P20T64	LM15839	F, T	378	2371	LT-3B
	1800	256T	91.0	1.15	230/460	CCS4P20T61	LM16511	K, Q	378	2417	LT-3B
	1800	256T	91.0	1.15	460	CCS4P20T64	LM18320	F, U	378	2417	LT-3B
	1200	286T	90.2	1.25	230/460	CCS6P20T61Y	LM16512	K, Q	571	4095	LT-3C
	1200	286T	90.2	1.25	460	CCS6P20T64	LM15778	F, U	571	4094	LT-3C
25	3600	284TS	91.0	1.25	230/460	CCS2P25TS61Y	LM16513	H, P	531	3233	LT-3C
	3600	284TS	91.0	1.25	460	CCS2P25TS64	LM15773	F, T	531	3233	LT-3C
	1800	284T	92.4	1.25	230/460	CCS4P25T61Y	LM16514	H, P	531	2846	LT-3C
	1800	284T	92.4	1.25	460	CCS4P25T64	LM15774	F, T	531	2845	LT-3C
	1200	324T	91.7	1.25	230/460	CCS6P25T61Y	LM16082	H, Q	701	5051	LT-3C
	1200	324T	91.7	1.25	460	CCS6P25T64	LM13455	F, U	701	5052	LT-3C

Prices and data subject to change without notice.

Product numbers in red are STOCK items.

**TEFC SEVERE DUTY**  
**208, 230/460 & 460 VOLTS • 3-PHASE**  
**FOOT MOUNT & C-FACE**  
**1 TO 800 HP**



**FOOT MOUNT (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
30	3600	286TS	91.0	1.25	230/460	CCS2P30TS61Y	<b>LM16516</b>	H, P	571	\$3835	LT-3C
	3600	286TS	91.0	1.25	460	CCS2P30TS64	<b>LM15776</b>	F, T	571	3835	LT-3C
	1800	<b>286T</b>	<b>92.5</b>	<b>1.25</b>	<b>230/460</b>	<b>CCS4P30T61Y</b>	<b>LM16517</b>	<b>C, H, Q</b>	<b>571</b>	<b>3362</b>	<b>LT-3C</b>
	1800	286T	92.5	1.25	460	CCS4P30T64	<b>LM15777</b>	C, F, U	571	3363	LT-3C
	1200	<b>326T</b>	<b>91.7</b>	<b>1.25</b>	<b>230/460</b>	<b>CCS6P30T61Y</b>	<b>LM16088</b>	<b>K, Q</b>	<b>835</b>	<b>5834</b>	<b>LT-3C</b>
	1200	326T	91.7	1.25	460	CCS6P30T64	<b>LM13457</b>	F, U	835	5835	LT-3C
40	3600	324TS	91.7	1.25	230/460	CCS2P40TS61Y	<b>LM16084</b>	H, Q	701	4849	LT-3C
	3600	324TS	91.7	1.25	460	CCS2P40TS64	<b>LM17562</b>	F, U	701	4849	LT-3C
	1800	324T	93.0	1.25	230/460	CCS4P40T61Y	<b>LM27814</b>	H, P	701	4440	LT-3C
	1800	324T	93.0	1.25	460	CCS4P40T64	<b>LM13458</b>	F, N	701	4440	LT-3C
	1200	<b>364T</b>	<b>93.0</b>	<b>1.25</b>	<b>230/460</b>	<b>CCS6P40T61Y</b>	<b>LM16523</b>	<b>H, P</b>	<b>1066</b>	<b>7442</b>	<b>LT-3C</b>
	1200	364T	93.0	1.25	460	CCS6P40T64	<b>LM13459</b>	F, T	1053	7442	LT-3C
50	<b>3600</b>	<b>326TS</b>	<b>93.0</b>	<b>1.25</b>	<b>230/460</b>	<b>CCS2P50TS61Y</b>	<b>LM16090</b>		<b>835</b>	<b>6229</b>	<b>LT-3C</b>
	3600	326TS	93.0	1.25	460	CCS2P50TS64	<b>LM17565</b>	F	835	6229	LT-3C
	1800	326T	93.6	1.25	230/460	CCS4P50T61Y	<b>LM27816</b>	K, S, ▼	835	5170	LT-3C
	1800	326T	93.6	1.25	460	CCS4P50T64	<b>LM13460</b>	F	835	5170	LT-3C
	1200	365T	93.0	1.25	230/460	CCS6P50T61Y	<b>LM15484</b>	H, P, S	1132	8798	LT-3C
	1200	365T	93.0	1.25	460	CCS6P50T64	<b>LM13461</b>	F	1132	9278	LT-3C
60	<b>3600</b>	<b>364TS</b>	<b>94.1</b>	<b>1.25</b>	<b>230/460</b>	<b>CCS2P60TS61Y</b>	<b>LM15478</b>	<b>H, P, S</b>	<b>1053</b>	<b>7942</b>	<b>LT-3C</b>
	3600	364TS	93.0	1.25	460	CCS2P60TS64	<b>LM17648</b>	F, T	1053	7942	LT-3C
	1800	364T	94.1	1.25	230/460	CCS4P60T61Y	<b>LM15479</b>	H, S, V	1053	8359	LT-3C
	1800	364T	93.6	1.25	460	CCS4P60T64	<b>LM13462</b>	F	1053	8359	LT-3C
	1200	404T	93.6	1.15	230/460	CCS6P60T61Y	<b>LM15435</b>		1326	10081	LT-3D
	1200	404T	94.1	1.15	460	CCS6P60T64	<b>LM13463</b>	C, F, U	1326	10082	LT-3D
75	3600	365TS	93.0	1.25	230/460	CCS2P75TS61Y	<b>LM15482</b>	H, Q, S	1132	10066	LT-3C
	3600	365TS	93.6	1.25	460	CCS2P75TS64	<b>LM17654</b>	F, U	1132	10066	LT-3C
	1800	<b>365T</b>	<b>94.1</b>	<b>1.15</b>	<b>230/460</b>	<b>CCS4P75T61Y</b>	<b>LM15483</b>	<b>K, S, ▼</b>	<b>1132</b>	<b>9484</b>	<b>LT-3C</b>
	1800	365T	94.1	1.15	460	CCS4P75T64	<b>LM13464</b>	F, T	1132	9483	LT-3C
	1200	405T	94.5	1.15	230/460	CCS6P75T61Y	<b>LM15438</b>	K, S, ▼	1376	12297	LT-3D
	1200	405T	93.6	1.15	460	CCS6P75T64	<b>LM13465</b>	F	1376	13099	LT-3D
100	3600	405TS	94.5	1.15	230/460	CCS2P100TS61Y	<b>LM15436</b>	W	1376	13363	LT-3D
	3600	405TS	94.1	1.15	460	CCS2P100TS64	<b>LM17627</b>	F	1376	13363	LT-3D
	1800	<b>405T</b>	<b>94.5</b>	<b>1.15</b>	<b>230/460</b>	<b>CCS4P100T61Y</b>	<b>LM15437</b>	<b>J, S, W</b>	<b>1376</b>	<b>11471</b>	<b>LT-3D</b>
	1800	405T	94.5	1.15	460	CCS4P100T64	<b>LM13466</b>	C, F, M	1376	11471	LT-3D
	1200	444T	94.1	1.15	460	CCS6P100T64	<b>LM13467</b>	F, ▼	1983	15770	LT-3D
	1200	<b>444T</b>	<b>94.1</b>	<b>1.15</b>	<b>460</b>	<b>CCS6P100T64Y</b>	<b>LM15714</b>	<b>S, ▼</b>	<b>1983</b>	<b>15771</b>	<b>LT-3D</b>
125	3600	444TS	94.5	1.15	460	CCS2P125TS64Y	<b>LM15713</b>	H,P,S,▼	1983	16477	LT-3D
	3600	444TS	94.5	1.15	460	CCS2P125TS64	<b>LM17586</b>	▼	1983	16477	LT-3D
	1800	444T	94.5	1.15	460	CCS4P125T64Y	<b>LM14637</b>	S, ▼	1983	14606	LT-3D
	1800	444T	94.5	1.15	460	CCS4P125T64	<b>LM17585</b>	F, ▼	1983	14606	LT-3D
	1200	445T	94.1	1.15	460	CCS6P125T64	<b>LM17587</b>	F, ▼	2110	18985	LT-3D
	1200	445T	94.1	1.15	460	CCS6P125T64Y	<b>LM15716</b>	▼	2110	18985	LT-3D

Prices and data subject to change without notice.

\*Contact Lincoln for price and availability.

**Product numbers in red are STOCK items.**



**TEFC SEVERE DUTY**  
**208, 230/460 & 460 VOLTS • 3-PHASE**  
**FOOT MOUNT & C-FACE**  
**1 TO 700 HP**

**FOOT MOUNT (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
150	3600	445TS	94.5	1.15	460	CCS2P150TS64Y	LM15715	S, ▼	2110	\$20011	LT-3D
	3600	445TS	94.5	1.15	460	CCS2P150TS64	LM17591	F, ▼	2110	20011	LT-3D
	1800	445T	95.0	1.15	460	CCS4P150T64Y	LM14640	P, S	2110	18963	LT-3D
	1800	445T	95.0	1.15	460	CCS4P150T64	LM17589	F, T	2110	18963	LT-3D
	1200	445T	95.0	1.15	460	CCS6P150T64Y	LM14641	▼	2110	21603	LT-3D
	1200	445T	95.0	1.15	460	CCS6P150T64	LM17588	F, ▼	2110	21603	LT-3D
200	3600	445TS	95.0	1.15	460	CCS2P200TS64Y	LM14638	▼	2110	25331	LT-3D
	3600	445TS	95.0	1.15	460	CCS2P200TS64	LM17592		2110	25331	LT-3D
	1800	445T	95.0	1.15	460	CCS4P200T64Y	LM14639	U	2341	21574	LT-3D
	1800	445T	95.0	1.15	460	CCS4P200T64	LM17590	F	2110	21574	LT-3D
	1200	449T	95.0	1.15	460	CCS6P200T64Y	LM15718		2572	25802	LT-3D
	1200	449T	95.0	1.15	460	CCS6P200T64	LM23529	F	2572	25801	LT-3D
250	3600	449TS	95.4	1.15	460	CCS2P250TS64Y	LM15717		2572	32164	LT-3D
	3600	449TS	95.4	1.15	460	CCS2P250TS64	LM22908		2572	32164	LT-3D
	1800	449T	95.4	1.15	460	CCS4P250T64Y	LM14643		2572	26437	LT-3D
	1800	449T	95.4	1.15	460	CCS4P250T64	LM17594	F	2572	26436	LT-3D
	1200	449T	95.4	1.15	460	CCS6P250T64Y	LM15723		2883	32165	LT-3D
	1200	449T	95.4	1.15	460	CCS6P250T64	LM17597		2883	32165	LT-3D
300	3600	449TS	95.4	1.15	460	CCS2P300TS64Y	LM15721		2883	39315	LT-3D
	3600	449TS	95.4	1.15	460	CCS2P300TS64	LM17601		2883	39315	LT-3D
	1800	449T	95.4	1.15	460	CCS4P300T64Y	LM14642		2572	28331	LT-3D
	1800	449T	95.4	1.15	460	CCS4P300T64	LM22909		2572	28331	LT-3D
	1200	449T	95.4	1.00	460	CCS6P300T64Y	LM15722		2883	41162	LT-3D
	1200	449T	95.4	1.00	460	CCS6P300T64	LM17598		2883	41162	LT-3D
350	3600	449TS	95.4	1.15	460	CCS2P350TS64Y	LM15720		2883	43603	LT-3D
	3600	449TS	95.4	1.15	460	CCS2P350TS64	LM17602		2883	43603	LT-3D
	1800	449T	95.4	1.15	460	CCS4P350T64Y	LM14645		2883	31360	LT-3D
	1800	449T	95.4	1.15	460	CCS4P350T64	LM17599		2883	31360	LT-3D
	1200	5011LS	95.8	1.15	460	CCS6P350LS64Y	LM22210		5500	59458	LL-1
	400	1800	449T	95.8	1.00	460	CCS4P400T64Y	LM14644		2883	39991
1800		449T	95.8	1.00	460	CCS4P400T64	LM17600		2883	39991	LT-3D
1200		5011	95.8	1.15	460	CCS6P400L64Y	LM22211		5500	86250	LL-1
450	1800	5011LS	95.8	1.15	460	CCS4P450LS64Y	LM22212		5500	82012	LL-1
	1200	5011LS	96.2	1.15	460	CCS6P450LS64Y	LM27292		5500	101036	LL-1
500	1800	5011LS	96.2	1.15	460	CCS4P500LS64Y	LM22213		5500	95181	LL-1
	1200	5013LS	96.2	1.15	460	CCS6P500LS64Y	LM27293		7200	117071	LL-1
600	1800	5011LS	96.5	1.15	460	CCS4P600LS64Y	LM22489	A	5500	130752	LL-1
700	1800	5013LS	96.5	1.15	460	CCS4P700LS64Y	LM27295	A	7200	139839	LL-1

**C-FACE WITH FEET**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
1	1800	143TC	82.5	1.25	230/460	CCS4P1TC61	LM16878	C, H, P, S	64	\$657	LT-3B
	1800	143TC	82.5	1.25	460	CCS4P1TC64	LM17989	F	84	657	LT-3B
	1200	145TC	80.0	1.25	230/460	CCS6P1TC61	LM16879	C, K, P	89	783	LT-3B
	1200	145TC	80.0	1.25	460	CCS6P1TC64	LM17990	C, F, T	89	783	LT-3B

Prices and data subject to change without notice.  
 \*Contact Lincoln for price and availability.

Product numbers in red are STOCK items.

**TEFC SEVERE DUTY**  
**208, 230/460 & 460 VOLTS • 3-PHASE**  
**FOOT MOUNT & C-FACE**  
**1 TO 700 HP**



**C-FACE WITH FEET (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
1 1/2	3600	143TC	82.5	1.25	230/460	CCS2P1.5TC61	LM16880	H, P	80	\$786	LT-3B
	3600	143TC	82.5	1.25	460	CCS2P1.5TC64	LM17991	F, T	80	786	LT-3B
	1800	145TC	84.0	1.25	230/460	CCS4P1.5TC61	LM16881	H, P	75	681	LT-3B
	1800	145TC	84.0	1.25	460	CCS4P1.5TC64	LM17992	F, T	89	681	LT-3B
	1200	182TC	85.5	1.25	230/460	CCS6P1.5TC61	LM16882	K, P	152	849	LT-3B
	1200	182TC	85.5	1.25	460	CCS6P1.5TC64	LM17993	F, T	152	850	LT-3B
2	3600	145TC	84.0	1.25	230/460	CCS2P2TC61	LM16883	H, ▼	89	833	LT-3B
	3600	145TC	84.0	1.25	460	CCS2P2TC64	LM17994	F	89	833	LT-3B
	1800	145TC	84.0	1.25	230/460	CCS4P2TC61	LM16884	H, S, V	74	725	LT-3B
	1800	145TC	84.0	1.25	460	CCS4P2TC64	LM17995	C, F, T	89	725	LT-3B
	1200	184TC	86.5	1.25	230/460	CCS6P2TC61	LM16885	K, P	145	923	LT-3B
	1200	184TC	86.5	1.25	460	CCS6P2TC64	LM17996	F, T	145	923	LT-3B
3	3600	182TC	86.5	1.25	230/460	CCS2P3TC61	LM16886	H, M	152	937	LT-3B
	3600	182TC	86.5	1.25	460	CCS2P3TC64	LM17997	F, M	152	937	LT-3B
	1800	182TC	87.5	1.25	230/460	CCS4P3TC61	LM16887	H, P	152	828	LT-3B
	1800	182TC	87.5	1.25	460	CCS4P3TC64	LM17998	F, T	152	828	LT-3B
	1200	213TC	87.5	1.25	230/460	CCS6P3TC61	LM16888	K, P	199	1173	LT-3B
	1200	213TC	87.5	1.25	460	CCS6P3TC64	LM17999	F, T	199	1173	LT-3B
5	3600	184TC	87.5	1.25	230/460	CCS2P5TC61	LM16889	H, P	145	1101	LT-3B
	3600	184TC	87.5	1.25	460	CCS2P5TC64	LM18000	F, T	145	1101	LT-3B
	1800	184TC	87.5	1.25	230/460	CCS4P5TC61	LM16890	C, H, ▼	185	1075	LT-3B
	1800	184TC	87.5	1.25	460	CCS4P5TC64	LM18001	C, F	145	976	LT-3B
	1200	215TC	87.5	1.25	230/460	CCS6P5TC61	LM16891	K, P	216	1577	LT-3B
	1200	215TC	87.5	1.25	460	CCS6P5TC64	LM18002	F, T	216	1577	LT-3B
7 1/2	3600	213TC	88.5	1.25	230/460	CCS2P7.5TC61	LM16892	H, M	199	1247	LT-3B
	3600	213TC	88.5	1.25	460	CCS2P7.5TC64	LM18003	F, M	199	1245	LT-3B
	1800	213TC	89.5	1.25	230/460	CCS4P7.5TC61	LM16893	H, Q	199	1331	LT-3B
	1800	213TC	89.5	1.25	460	CCS4P7.5TC64	LM18004	F, U	199	1522	LT-3B
	1200	254TC	89.5	1.25	230/460	CCS6P7.5TC61	LM16894	C, K, P	347	2219	LT-3B
	1200	254TC	89.5	1.25	460	CCS6P7.5TC64	LM18005	C, F, T	347	2135	LT-3B
10	3600	215TC	89.5	1.25	230/460	CCS2P10TC61	LM16895	H, Q	216	1531	LT-3B
	3600	215TC	89.5	1.25	460	CCS2P10TC64	LM18006	F, U	216	1532	LT-3B
	1800	215TC	91.0	1.15	230/460	CCS4P10TC61	LM16896	J, Q	216	1571	LT-3B
	1800	215TC	91.0	1.15	460	CCS4P10TC64	LM18007	F, U	216	1607	LT-3B
	1200	256TC	89.5	1.25	230/460	CCS6P10TC61	LM16897	K, Q	390	2609	LT-3B
	1200	256TC	89.5	1.25	460	CCS6P10TC64	LM18008	F, U	390	2609	LT-3B
15	3600	254TC	90.2	1.25	230/460	CCS2P15TC61	LM16898	H, Q	347	2027	LT-3B
	3600	254TC	90.2	1.25	460	CCS2P15TC64	LM18009	F, U	347	2027	LT-3B
	1800	254TC	91.0	1.25	230/460	CCS4P15TC61	LM16899	H, S	402	1970	LT-3B
	1800	254TC	91.0	1.25	460	CCS4P15TC64	LM18010	F, U	347	1970	LT-3B
	1200	284TC	90.2	1.25	230/460	CCS6P15TC61Y	LM16900	H, M	537	3657	LT-3C
	1200	284TC	90.2	1.25	460	CCS6P15TC64	LM18011	F, M	537	3657	LT-3C
20	3600	256TC	90.2	1.15	230/460	CCS2P20TC61	LM16927	H, P	390	2465	LT-3B
	3600	256TC	90.2	1.15	460	CCS2P20TC64	LM18012	F, T	390	2466	LT-3B
	1800	256TC	91.0	1.15	230/460	CCS4P20TC61	LM16928	K, Q	390	2511	LT-3B
	1800	256TC	91.0	1.15	460	CCS4P20TC64	LM18013	F, U	390	2511	LT-3B
	1200	286TC	90.2	1.25	230/460	CCS6P20TC61Y	LM16929	K, Q	577	4259	LT-3C
	1200	286TC	90.2	1.25	460	CCS6P20TC64	LM18014	F, U	577	4259	LT-3C
25	3600	284TSC	91.0	1.25	230/460	CCS2P25TSC61Y	LM16930	H, P	537	3400	LT-3C
	3600	284TSC	91.0	1.25	460	CCS2P25TSC64	LM19327	F, T	537	3400	LT-3C
	1800	284TC	92.4	1.25	230/460	CCS4P25TC61Y	LM16931	H, P	537	3012	LT-3C
	1800	284TC	92.4	1.25	460	CCS4P25TC64	LM18016	F, T	537	3012	LT-3C
	1200	324TC	91.7	1.25	230/460	CCS6P25TC61Y	LM16932	H, Q	708	5329	LT-3C
	1200	324TC	91.7	1.25	460	CCS6P25TC64	LM18017	F, U	708	5329	LT-3C

Prices and data subject to change without notice.

**Product numbers in red are STOCK items.**



**TEFC SEVERE DUTY**  
**208, 230/460 & 460 VOLTS • 3-PHASE**  
**FOOT MOUNT & C-FACE**  
**1 TO 700 HP**

**C-FACE WITH FEET (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
30	3600	286TSC	91.0	1.25	230/460	CCS2P30TSC61Y	LM16934	H, P	577	\$4001	LT-3C
	3600	286TSC	91.0	1.25	460	CCS2P30TSC64	LM18018	F, T	577	4002	LT-3C
	1800	286TC	92.5	1.25	230/460	CCS4P30TC61Y	LM16935	C, H, S	582	3527	LT-3C
	1800	286TC	92.5	1.25	460	CCS4P30TC64	LM18019	C, F, U	577	3527	LT-3C
	1200	326TC	91.7	1.25	230/460	CCS6P30TC61Y	LM16936	K, Q	842	6111	LT-3C
	1200	326TC	91.7	1.25	460	CCS6P30TC64	LM18020	F, U	842	6111	LT-3C
40	3600	324TSC	91.7	1.25	230/460	CCS2P40TSC61Y	LM16937	H, Q	708	5125	LT-3C
	3600	324TSC	91.7	1.25	460	CCS2P40TSC64	LM18021	F, U	708	5125	LT-3C
	1800	324TC	93.0	1.25	230/460	CCS4P40TC61Y	LM27815	H, P	708	4715	LT-3C
	1800	324TC	93.0	1.25	460	CCS4P40TC64	LM18022	F, N	708	4715	LT-3C
	1200	364TC	93.0	1.25	230/460	CCS6P40TC61Y	LM16939	H, P	1062	7889	LT-3C
	1200	364TC	93.0	1.25	460	CCS6P40TC64	LM18023	F, T	1062	7886	LT-3C
50	3600	326TSC	93.0	1.25	230/460	CCS2P50TSC61Y	LM16940		842	6504	LT-3C
	3600	326TSC	93.0	1.25	460	CCS2P50TSC64	LM18024	F	842	6504	LT-3C
	1800	326TC	93.6	1.25	230/460	CCS4P50TC61Y	LM16942	K, ▼	842	5449	LT-3C
	1800	326TC	93.6	1.25	460	CCS4P50TC64	LM18025	F	842	5449	LT-3C
	1200	365TC	93.0	1.25	230/460	CCS6P50TC61Y	LM16943		1145	9243	LT-3C
	1200	365TC	93.0	1.25	460	CCS6P50TC64	LM18026	F	1141	9243	LT-3C
60	3600	364TSC	93.0	1.25	230/460	CCS2P60TSC61Y	LM16944	H, P	1062	8385	LT-3C
	3600	364TSC	93.0	1.25	460	CCS2P60TSC64	LM18027	F, T	1062	8385	LT-3C
	1800	364TC	93.6	1.25	230/460	CCS4P60TC61Y	LM16945	H, S, V	1066	8203	LT-3C
	1800	364TC	93.6	1.25	460	CCS4P60TC64	LM18028	F	1062	8203	LT-3C
	1200	404TC	94.1	1.15	230/460	CCS6P60TC61Y	LM16946	C, K, Q	1339	10607	LT-3D
	1200	404TC	94.1	1.15	460	CCS6P60TC64	LM18029	C, F, U	1339	10607	LT-3D
75	3600	365TSC	93.6	1.25	230/460	CCS2P75TSC61Y	LM16947	H, Q	1141	10509	LT-3C
	3600	365TSC	93.6	1.25	460	CCS2P75TSC64	LM18030	F, U	1141	10509	LT-3C
	1800	365TC	94.1	1.15	230/460	CCS4P75TC61Y	LM16948	K, ▼	1141	9927	LT-3C
	1800	365TC	94.1	1.15	460	CCS4P75TC64	LM18031	F, T	1141	9927	LT-3C
	1200	405TC	94.5	1.15	230/460	CCS6P75TC61Y	LM16949	K, ▼	1389	12824	LT-3D
	1200	405TC	94.5	1.15	460	CCS6P75TC64	LM18032	F	1389	12824	LT-3D
100	3600	405TSC	94.1	1.15	230/460	CCS2P100TSC61Y	LM16950	▼	1389	13891	LT-3D
	3600	405TSC	94.1	1.15	460	CCS2P100TSC64	LM18033	F	1389	13891	LT-3D
	1800	405TC	94.5	1.15	230/460	CCS4P100TC61Y	LM16952	C, J, M	1389	11997	LT-3D
	1800	405TC	94.5	1.15	460	CCS4P100TC64	LM18034	C, F, M	1389	11997	LT-3D
	1200	444TC	94.1	1.15	460	CCS6P100TC64Y	LM16954	▼	2006	17272	LT-3D
	1200	444TC	94.1	1.15	460	CCS6P100TC64	LM18044	F, ▼	2006	16423	LT-3D
125	3600	444TSC	94.5	1.15	460	CCS2P125TSC64Y	LM16955	▼	2006	17130	LT-3D
	3600	444TSC	94.5	1.15	460	CCS2P125TSC64	LM18045	▼	2006	17130	LT-3D
	1800	444TC	94.5	1.15	460	CCS4P125TC64Y	LM16956	▼	2006	15261	LT-3D
	1800	444TC	94.5	1.15	460	CCS4P125TC64	LM18046	F, ▼	2006	15261	LT-3D
	1200	445TC	94.1	1.15	460	CCS6P125TC64Y	LM16957	▼	2133	19638	LT-3D
	1200	445TC	94.1	1.15	460	CCS6P125TC64	LM18047	F, ▼	2133	19638	LT-3D
150	3600	445TSC	94.5	1.15	460	CCS2P150TSC64Y	LM16958	▼	2133	20664	LT-3D
	3600	445TSC	94.5	1.15	460	CCS2P150TSC64	LM18048	F, ▼	2133	20664	LT-3D
	1800	445TC	95.0	1.15	460	CCS4P150TC64Y	LM16959	P	2133	18417	LT-3D
	1800	445TC	95.0	1.15	460	CCS4P150TC64	LM18049	F, T	2133	18417	LT-3D
	1200	445TC	95.0	1.15	460	CCS6P150TC64Y	LM16960	▼	2133	22257	LT-3D
	1200	445TC	95.0	1.15	460	CCS6P150TC64	LM18050	F, ▼	2133	22256	LT-3D
200	3600	445TSC	95.0	1.15	460	CCS2P200TSC64Y	LM16961	▼	2133	25984	LT-3D
	3600	445TSC	95.0	1.15	460	CCS2P200TSC64	LM18051	▼	2133	25984	LT-3D
	1800	445TC	95.0	1.15	460	CCS4P200TC64Y	LM16962		2133	22227	LT-3D
	1800	445TC	95.0	1.15	460	CCS4P200TC64	LM18052	F	2133	22227	LT-3D
	1200	449TC	95.0	1.15	460	CCS6P200TC64Y	LM16963		2595	26501	LT-3D
	1200	449TC	95.0	1.15	460	CCS6P200TC64	LM18053	F	2595	26501	LT-3D

Prices and data subject to change without notice.

Product numbers in red are STOCK items.

**TEFC SEVERE DUTY**  
**208, 230/460 & 460 VOLTS • 3-PHASE**  
**FOOT MOUNT & C-FACE**  
**1 TO 700 HP**



**C-FACE WITH FEET (cont'd)**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
250	3600	449TSC	95.4	1.15	460	CCS2P250TSC64Y	<b>LM16964</b>		2595	\$32865	LT-3D
	3600	449TSC	95.4	1.15	460	CCS2P250TSC64	<b>LM18054</b>		2595	32865	LT-3D
	1800	447TC	95.0	1.15	460	CCS4P250TC64Y	<b>LM16965</b>		2581	27136	LT-3D
	1800	447TC	95.4	1.15	460	CCS4P250TC64	<b>LM18055</b>		2595	27136	LT-3D
	1200	449TC	95.4	1.15	460	CCS6P250TC64Y	<b>LM16966</b>		2906	32865	LT-3D
	1200	449TC	95.4	1.15	460	CCS6P250TC64	<b>LM18056</b>		2906	32865	LT-3D
300	3600	449TSC	95.4	1.15	460	CCS2P300TSC64Y	<b>LM16967</b>		2906	40015	LT-3D
	3600	449TSC	95.4	1.15	460	CCS2P300TSC64	<b>LM18057</b>		2906	40015	LT-3D
	1800	449TC	95.4	1.15	460	CCS4P300TC64Y	<b>LM16968</b>		2595	29031	LT-3D
	1800	449TC	95.4	1.15	460	CCS4P300TC64	<b>LM18058</b>		2595	29031	LT-3D
	1200	449TC	95.4	1.00	460	CCS6P300TC64Y	<b>LM16969</b>		2906	41862	LT-3D
	1200	449TC	95.4	1.00	460	CCS6P300TC64	<b>LM18059</b>		2906	41862	LT-3D
350	3600	449TSC	95.4	1.15	460	CCS2P350TSC64Y	<b>LM16970</b>		2906	44303	LT-3D
	3600	449TSC	95.4	1.15	460	CCS2P350TSC64	<b>LM18060</b>		2906	44303	LT-3D
	1800	449TC	95.4	1.15	460	CCS4P350TC64Y	<b>LM16971</b>		2906	32061	LT-3D
	1800	449TC	95.4	1.15	460	CCS4P350TC64	<b>LM18061</b>		2906	32061	LT-3D
400	1800	449TC	95.8	1.00	460	CCS4P400TC64Y	<b>LM16973</b>		2906	40692	LT-3D
	1800	449TC	95.8	1.00	460	CCS4P400TC64	<b>LM18064</b>		2906	40692	LT-3D

**C-FACE FOOTLESS**

HP	SYN RPM	Frame	FL Nom Eff (%)	SF	Volts	Model Number	Product Number	Notes (see page 306)	Approx Shpg Wght (lbs)	List Price	Mult Sym
1	1800	143TC	82.5	1.25	230/460	CCS4P1TCN61	<b>LM19252</b>	C, H, V	80	\$657	LT-3B
	1800	143TC	82.5	1.25	460	CCS4P1TCN64	<b>LM19270</b>	C, F, M	80	656	LT-3B
1 1/2	3600	143TC	82.5	1.25	230/460	CCS2P1.5TCN61	<b>LM19253</b>	H, P	80	786	LT-3B
	3600	143TC	82.5	1.25	460	CCS2P1.5TCN64	<b>LM19269</b>	F, T	80	786	LT-3B
	1800	145TC	84.0	1.25	230/460	CCS4P1.5TCN61	<b>LM19254</b>	H, P	89	681	LT-3B
	1800	145TC	84.0	1.25	460	CCS4P1.5TCN64	<b>LM19271</b>	F, T	89	681	LT-3B
2	3600	145TC	84.0	1.25	230/460	CCS2P2TCN61	<b>LM25541</b>	H, ▼	89	833	LT-3B
	3600	145TC	84.0	1.25	460	CCS2P2TCN64	<b>LM19272</b>	F	89	833	LT-3B
	1800	145TC	84.0	1.25	230/460	CCS4P2TCN61	<b>LM19256</b>	C, H, P	89	725	LT-3B
	1800	145TC	84.0	1.25	460	CCS4P2TCN64	<b>LM19273</b>	C, F, T	89	725	LT-3B
3	3600	182TC	86.5	1.25	230/460	CCS2P3TCN61	<b>LM19257</b>	H, M	152	937	LT-3B
	3600	182TC	86.5	1.25	460	CCS2P3TCN64	<b>LM19274</b>	F, M	152	937	LT-3B
	1800	182TC	87.5	1.25	230/460	CCS4P3TCN61	<b>LM19258</b>	H, P	152	828	LT-3B
	1800	182TC	87.5	1.25	460	CCS4P3TCN64	<b>LM19275</b>	F, T	152	828	LT-3B
5	3600	184TC	87.5	1.25	230/460	CCS2P5TCN61	<b>LM19259</b>	H, P	145	1101	LT-3B
	3600	184TC	87.5	1.25	460	CCS2P5TCN64	<b>LM19276</b>	F, T	145	1101	LT-3B
	1800	184TC	87.5	1.25	230/460	CCS4P5TCN61	<b>LM19260</b>	C, H, ▼	145	976	LT-3B
	1800	184TC	87.5	1.25	460	CCS4P5TCN64	<b>LM19277</b>	C, F	145	975	LT-3B
7 1/2	3600	213TC	88.5	1.25	230/460	CCS2P7.5TCN61	<b>LM19261</b>	H, M	199	1247	LT-3B
	3600	213TC	88.5	1.25	460	CCS2P7.5TCN64	<b>LM19278</b>	F, M	199	1245	LT-3B
	1800	213TC	89.5	1.25	230/460	CCS4P7.5TCN61	<b>LM19262</b>	H, Q	199	1303	LT-3B
	1800	213TC	89.5	1.25	460	CCS4P7.5TCN64	<b>LM19279</b>	F, U	199	1256	LT-3B
10	3600	215TC	89.5	1.25	230/460	CCS2P10TCN61	<b>LM19263</b>	H, Q	216	1532	LT-3B
	3600	215TC	89.5	1.25	460	CCS2P10TCN64	<b>LM19280</b>	F, U	216	1532	LT-3B
	1800	215TC	91.0	1.15	230/460	CCS4P10TCN61	<b>LM19264</b>	J, Q	216	1571	LT-3B
	1800	215TC	91.0	1.15	460	CCS4P10TCN64	<b>LM19281</b>	F, U	216	1570	LT-3B
15	3600	254TC	90.2	1.25	230/460	CCS2P15TCN61	<b>LM19265</b>	H, Q	347	2027	LT-3B
	3600	254TC	90.2	1.25	460	CCS2P15TCN64	<b>LM19282</b>	F, U	347	2027	LT-3B
	1800	254TC	91.0	1.25	230/460	CCS4P15TCN61	<b>LM19266</b>	H, Q	347	1970	LT-3B
	1800	254TC	91.0	1.25	460	CCS4P15TCN64	<b>LM19283</b>	F, U	347	1970	LT-3B
20	3600	256TC	90.2	1.15	230/460	CCS2P20TCN61	<b>LM19267</b>	H, P	390	2467	LT-3B
	3600	256TC	90.2	1.15	460	CCS2P20TCN64	<b>LM19284</b>	F, T	390	2466	LT-3B
	1800	256TC	91.0	1.15	230/460	CCS4P20TCN61	<b>LM19268</b>	K, Q	390	2511	LT-3B
	1800	256TC	91.0	1.15	460	CCS4P20TCN64	<b>LM19285</b>	F, U	390	2511	LT-3B

Prices and data subject to change without notice.

**Product numbers in red are STOCK items.**