

TURCK
Level Sensors - Conductive Rods



Housing Style	Part Number	ID Number	Features	Output
<p>Level Control Monitor with Fixed Switch Point</p>	MK 91-R11/24VDC	M7525202	Single Level Controller 10 second delay	(1) SPDT Relay
<p>Level Control Monitor, Potentiometer/Jumper Programmable</p>	MK 91-121-R/24VDC	M7545087	Dual Level Controller, Adjustable Delay	(2) SPDT Relays/Parallel
	MK 91-121-R/230VAC	M7545080	Dual Level Controller, Adjustable Delay	

Additional specifications on pages D51-D52.

Material

Housing	PC/ABS
---------	--------

Voltage	Switching Current	Switch Point	Current Consumption	Hysteresis	Power LED	Output LED	Wiring Diagram #	Wiring Diagrams
19-29 VDC	3 A at 250 VUC	40 kΩ Fixed	≤20 mA at 24 VDC	Approx. 5%	GN	YE	1	<p>Diagram 1</p>
20-28 VDC	3 A at 250 VUC	0.2-100 kΩ	≤1.5 W	Approx. 10%	GN	YE	2	<p>Diagram 2</p>
184-264 VAC	3 A at 250 VUC	0.2-100 kΩ	3 VA/<15 mARMS	Approx. 10%	GN	YE	2	<p>Diagram 2</p>